



# MATRIX SHIELD

ENDURANCE TO THE MAX



# PAINT PROTECTION FILM



[www.msautoshield.com](http://www.msautoshield.com)

# COMPANY PROFILE

## MATRIXSHIELD™ Endurance to the Max

MatrixShield is a next-generation Paint Protection Film brand crafted for those who demand excellence without compromise. Engineered With Korean Technology To Deliver optical clarity, exceptional strength, and long-term performance, MatrixShield represents the perfect fusion of advanced material science and refined automotive aesthetics.

Imported from the PRC and thoughtfully optimized for the diverse and demanding Indian road conditions, MatrixShield offers dependable protection against everyday wear, environmental contaminants, road debris, and harsh weather elements.

Its high-performance composition ensures that your vehicle's original paint finish remains pristine, vibrant, and protected over time.

With cutting-edge technology at its core, MatrixShield enhances durability while maintaining an ultra-clear, seamless appearance that preserves the true character of your vehicle. Designed for modern automotive enthusiasts and professionals alike,

MatrixShield redefines paint protection by combining resilience, elegance, and reliability—because true endurance deserves a flawless finish.





## WHY CHOOSE US

### THE MATRIXSHIELD™ ADVANTAGE

- Imported Quality
- Engineered Using International-grade Materials With Strict Qc Standards.
- Durability & Performance
- Designed For India's Heat, Humidity, Monsoons, And Tough Road Conditions.
- Sporty-tech Aesthetic
- A Clean, High-gloss Finish That Elevates Your Vehicle's Premium Look.
- Professional Network
- Installed By Trained Applicators Ensuring Perfect Finish & Longevity.
- After-Sales Support
- Reliable Guidance, Warranty Assistance & Customer Care From Ms Auto Shield.





## PLUS SERIES

<b>SIZE</b>	250 SQFT ROLL
<b>MATERIAL</b>	TPU ( THERMOPLASTIC POLYURETHANE )
<b>TOTAL FILM THICKNESS</b>	190 MICRONS
<b>SELF HEALING TOP COAT</b>	15 MICRONS
<b>TPU BASECOAT</b>	145 MICRONS
<b>ASHLAND GLUE</b>	30 MICRONS
<b>ELONGATION AT BREAK</b>	CAN BE OVER 320% TO 365%
<b>WARRANTY</b>	5 YEARS



## PREMIUM SERIES

<b>SIZE</b>	250 Sqft Roll
<b>MATERIAL</b>	Tpu ( Thermoplastic Polyurethane )
<b>TOTAL FILM THICKNESS</b>	210 Microns
<b>SELF HEALING TOP COAT</b>	20 Microns
<b>TPU BASECOAT</b>	160 Microns
<b>ASHLAND GLUE</b>	30 Microns
<b>ELONGATION AT BREAK</b>	Can Be Over 295% To 345%
<b>WARRANTY</b>	6 Years



## PLATINUM SERIES

<b>SIZE</b>	250 Sqft Roll
<b>MATERIAL</b>	Tpu ( Thermoplastic Polyurethane )
<b>TOTAL FILM THICKNESS</b>	195 Microns
<b>SELF HEALING TOP COAT</b>	20 Microns
<b>TPU BASECOAT</b>	145 Microns
<b>ASHLAND GLUE</b>	30 Microns
<b>ELONGATION AT BREAK</b>	Can Be Over 330% To 365%
<b>WARRANTY</b>	8 Years



## **MATTE SERIES**

<b>SIZE</b>	250 Sqft Roll
<b>MATERIAL</b>	Tpu ( Thermoplastic Polyurethane )
<b>TOTAL FILM THICKNESS</b>	190 Microns
<b>SELF HEALING TOP COAT</b>	15 Microns
<b>TPU BASECOAT</b>	145 Microns
<b>ASHLAND GLUE</b>	30 Microns
<b>ELONGATION AT BREAK</b>	Can Be Over 320% To 365%
<b>WARRANTY</b>	5 Years



## DEEP DARK BLACK GLOSSY SERIES

<b>SIZE</b>	250 Sqft Roll
<b>TOTAL FILM THICKNESS</b>	190 Microns
<b>MATERIAL</b>	High Grade Aliphatic Thermoplastic Polyurethane
<b>BENEFITS</b>	Scratch Resistance, self Healing, hydrophobic, uv Protection
<b>GLUE</b>	Ashland
<b>ELONGATION AT BREAK</b>	Can Be Over 310% To 365%
<b>WARRANTY</b>	5years



## WHITE GLOSSY SERIES

<b>SIZE</b>	250 Sqft Roll
<b>TOTAL FILM THICKNESS</b>	190 Microns
<b>MATERIAL</b>	High Grade Aliphatic Thermoplastic Polyurethane
<b>BENEFITS</b>	Scratch Resistance, Self Healing, Hydrophobic, Uv Protection
<b>GLUE</b>	Ashland
<b>ELONGATION AT BREAK</b>	Can Be Over 310% To 365%
<b>WARRANTY</b>	5years



**MATRIX SHIELD**  
ENDURANCE TO THE MAX

FOR DEALERSHIP ENQUIRIES,  
INSTALLATIONS & PRODUCT INFO

Location : MS Auto Shield, Mumbai, India

Phone : +91 9145545744

Email : [info@msautoshield.com](mailto:info@msautoshield.com)

Website : [www.msautoshield.com](http://www.msautoshield.com)

IMPORT BY : M S AutoShield